## Verizon New England Inc. d/b/a Verizon Massachusetts

## **Commonwealth of Massachusetts**

## D.T.E. 02-8

**Respondent:** Peter Shepherd

Title: Director

**REQUEST:** AT&T Communications of New England, Set #1

**DATED:** June 24, 2002

**ITEM:** ATT 1-1 This request refers to page 28 of Verizon's Panel Surrebuttal Testimony, the testimony written in response to the question "Please describe AT&T's

security procedures."

 a) Please provide all the documentation relied upon for the preparation of the response in Verizon's testimony, including any documentation provided by AT&T to Verizon.

- b) Please identify the person(s) by name and position responsible for providing the information upon which the response is based.
- c) Please identify by address and location within Massachusetts which AT&T facilities are subject to the procedures described in Verizon's testimony. If there are no AT&T facilities in Massachusetts to which the described security procedures apply, please so state.

**REPLY:** 

- This testimony was based on actual experiences of Verizon personnel in certain AT&T locations in Massachusetts where Verizon's equipment and facilities reside.
- b) The information was provided by the following Verizon employees:
  Joseph Gallo, Engineer Network Engineering; Tim Sullivan, Turf
  Team Leader Network; Laurel Young, Engineer Network
  Engineering; Paul Santaniello, Central Office Supervisor Network
  Operations; and Elizabeth Gallien, Central Office Supervisor Network Operations.
- c) While there may be other AT&T locations where such procedures

-2-

**REPLY:** ATT 1-1 (cont'd)

d) following four Massachusetts locations: (1) 250 Bent St.
 Cambridge; (2) Waverly St., Framingham; (3) 350 Bridge St.,
 Springfield; and (4) Main St., Worcester. As noted in Verizon MA's testimony, the procedures differ depending on the particular office.

VZ# 181